




X-SPLASH 7001D

X-SPLASH 7001D. Microporous Coverall with Collar, Elastic Wrists & Ankles



Key Features & Benefits:

- Breathable, Durable, Comfortable and Affordable Microporous Coveralls.
- Provides all day protection from particulates, some liquids and aerosols.
- Attached Collar, Elastic Wrists and Ankles.
- Easy to take on and off, Zipper Closure, and Surged Seams

Applications:		Industries:	Certifications/Ratings:
<ul style="list-style-type: none"> • Asbestos/Lead Abatement • Spill Cleanup • Mold Remediation • Food Processing • Pesticides 		<ul style="list-style-type: none"> • Pharmaceutical • Agriculture • Environmental • Sanitation • Construction 	<p>ASTM D5034-21 (Grab Method)</p> <ul style="list-style-type: none"> • Warp/Length lbf 20.6 • Weft/Width lbf 14.0 <p>ASTM D5733-99</p> <ul style="list-style-type: none"> • Warp/Length lbf 10.0 • Weft/Width lbf 5.6
Ordering:		Composition	Certifications/Ratings:
<ul style="list-style-type: none"> • Unit of Sale- 1 CS • Case pack- 25 EA • Country of Origin- Bangladesh • Available Sizes M-5XL 		<ul style="list-style-type: none"> • 100% Microporous <p>Component Materials Comply with all FFDCA Guidelines for Food Contact, 21 CFR Parts 170-199</p>  <p>Warning: Cancer & Reproductive Harm- www.P65Warnings.ca.gov</p>	<p>ASTM D3776/D3776M-20, OPT C</p> <ul style="list-style-type: none"> • Weight oz/yd² 1.42 • Weight g/m² 48.2 <hr/> <p>EN 1149-5:2018, Clause 4.2.1</p> <p>Electrostatic Material Requirements - PASS</p>



X-SPLASH 7001D

X-SPLASH 7001D. Microporous Coverall with Collar,
Elastic Wrists & Ankles

Packaging Dimensions

	X-Small	Small	Medium	Large	X-Large	2X-Large	3X-Large	4X-Large	5X-Large
Chest	20.5 (52.1)	22.0 (55.9)	23.5 (59.7)	25.0 (63.5)	26.5 (67.3)	28 (71.1)	29.5 (74.9)	31.3 (79.0)	31.88 (81.0)
Inseam	26.5 (67.3)	27.52 (69.9)	28.0 (71.1)	29.0 (73.7)	29.5 (74.9)	30.5 (77.5)	31.5 (80.0)	33.5 (80.0)	34.3 (87.0)
Sleeve Outseam	29.0 (73.7)	31 (78.7)	32.5 (82.6)	33.5 (85.1)	35.0 (88.9)	36.5 (92.7)	37.0 (94.0)	38.2 (97.0)	39.4 (100)
Body Length	31.0 (78.7)	33.0 (83.8)	35.0 (88.9)	37.0 (94.0)	38.5 (97.8)	40.5 (102.9)	42.5 (108.0)	44.1 (112)	45.7 (116)
Sleeve Opening	5.5 (14.0)	5.5 (14.0)	6.0 (15.2)	6.0 (15.2)	6.0 (15.2)	6.0 (15.2)	6.5 (16.5)	7.1 (18.0)	7.48 (19.0)
Leg Opening	9.5 (24.1)	9.5 (24.1)	10.0 (25.4)	10.0 (25.4)	10.0 (25.4)	10.0 (25.4)	10.5 (26.7)	11.0 (28.0)	11.4 (29.0)
Front Opening	21.5 (54.6)	21.5 (54.6)	25.5 (64.8)	25.5 (64.8)	25.5 (64.8)	27.5 (69.9)	27.5 (69.9)	79.1 (24.0)	30.7 (78.0)

Resistance of Materials Used in Protective Clothing to Penetration by Liquids

ASTM F903-18, Procedure: Procedure D

Sodium Hydroxide, 50%	
Observation on Viewing Side: 0 psig (0kPa) for 1 minute	Pass
Sodium Hypochlorine, 10%	
Observation on Viewing Side: 0 psig (0kPa) for 1 minute	Pass



X-SPLASH 7001D

X-SPLASH 7001D. Microporous Coverall with Collar, Elastic Wrists & Ankles

Packaging Dimensions

Item Number	Item Number UPC	Inner UPC	Case UPC	Case L (In)	Case W (In)	Case H (In)	Weight (lbs)
7001DM	196852107704		196852107704	14.17	10.63	14.17	9.90
7001DL	196852107711		196852107711	14.17	10.63	14.17	10.34
7001DXL	196852107728		196852107728	14.17	10.63	14.17	11.00
7001D2XL	196852107735		196852107735	14.17	10.63	14.17	11.88
7001D3XL	196852107742		196852107742	14.17	10.63	15.75	12.98
7001D4XL	196852107759		196852107759	14.17	10.63	15.75	13.42
7001D5XL	196852107766		196852107766	14.17	10.63	16.54	13.42



www.C2VPPE.com