

# Winter Safety Supplies



**FR Clothing • Fall Protection & Engineered Systems  
Product Customization • Personal Protective Equipment  
Equipment Rentals • Certified Repair & Recertification**



## Safety Begins With Us

800.330.9240 • [www.gosafe.com](http://www.gosafe.com)





# COLD STRESS & WIND CHILL FACTOR

## COMMON COLD RELATED ILLNESSES

### FROST BITE

**SYMPTOMS:** PALE, WAXY-WHITE SKIN COLOR; SKIN BECOMES HARD AND NUMB; USUALLY AFFECTS EXTREMITIES INCLUDING EARS AND NOSE.

**RESPONSE:**

- Move the person to a warm dry area and remove any wet/tight clothing that may cut off blood circulation.
- DO NOT rub the affected area, rubbing can cause skin/tissue damage.
- Gently place the affected area in warm (105°F) water. Do not pour water directly on affected area. Warming will take 25-40 mins.
- Once normal feeling, movement and color return to area, dry and wrap to keep warm.
- Seek medical attention as soon as possible


### HYPOTHERMIA

**SYMPTOMS:** FATIGUE/DROWSINESS; UNCONTROLLED SHIVERING; COOL BLUISH SKIN; SLURRED SPEECH; CLUMSY MOVEMENTS; IRRITABLE/IRRATIONAL/CONFUSED BEHAVIOR.

**RESPONSE:**

- CALL FOR EMERGENCY HELP IMMEDIATELY.
- Move the person to a warm dry area and remove any wet/tight clothing and replace with dry clothing or wrap in a blanket.
- Drink warm, sweet drinks (sugar water or sports-type drinks). Avoid caffeinated drinks.
- Have the person move their arms and legs to create muscle heat. If unable to do so, place hot packs in armpits, groin, neck and head. DO NOT rub the person or place them in warm water.

Wind Speed (MPH)  
0 10 20 30 40



When the body is unable to warm itself, serious cold-related illnesses and injuries may occur, and permanent tissue damage and death may result.

**Hypothermia** can occur when land temperatures are **above** freezing or water temperatures are below 98.6°F/37°C. Cold-related illnesses can slowly overcome a person who has been chilled by low temperatures, brisk winds, or wet clothing.

LOW TEMPERATURE + WIND SPEED + WETNESS = INJURIES & ILLNESS

Little Danger (Cation) Freezing to Exposed Flesh within 1 Hour: ☐

Danger Freezing to Exposed Flesh within 1 Minute: ☐

Extreme Danger Freezing to exposed Flesh within 30 seconds: ☐

Source: OSHA; [www.osha.gov](http://www.osha.gov)

## A. 2112® Flame-Resistant Parka - CAT 2

The 2112 Parka features an outer shell made of 7 oz. 88% cotton, 12% nylon fabric, 100% cotton liner, heavy duty brass zipper fully covered with storm flap and concealed Velcro closure, stand-up collar with optional Velcro hood attachment, Velcro sleeve closures, 2 combination cargo/slash pockets, 1 Internal cell phone pocket and a D-Ring pass-through. Available in sizes small up to 5X-large. 3rd party, North American, UL tested. **Complies with NFPA 70E, CAT 2 and NFPA 2112 standards. Supplies are limited, contact customer service for available sizes.**

SKU	Description	Sizes	UOM
FRPKANVY	Parka Flame Resistant 88/12 Blend	S-5X	EA

A



B



## B. 2112® Flame-Resistant Bomber Jacket - CAT 2

The 2112 Bomber Jacket features an outer shell made of 7 oz. 88% cotton, 12% nylon fabric, 100% cotton liner, heavy duty brass zipper fully covered with storm flap and concealed Velcro closure, stand-up collar with optional Velcro hood attachment, Velcro sleeve closures, 2 combination cargo/slash pockets, 1 Internal cell phone pocket and a D-Ring pass-through. Available in sizes small up to 5X-large. 3rd party, North American, UL tested. **Complies with NFPA 70E, CAT 2 and NFPA 2112 standards. Supplies are limited, contact customer service for available sizes.**

SKU	Description	Sizes	UOM
FRJKTENVY	Bomber Jacket Flame Resistant 88/12 Blend	S-5X	EA

## C. Canvas FR Shirt Jac - CAT 2

Carhartt's easiest-wearing, hardest-working 8.5-ounce, flame-resistant canvas shirt jac features 88% cotton/12% high-tenacity nylon and a twill lining. You'll find antique-finish brass snaps, two chest pockets with rivet reinforcements for durability, and adjustable two-snap cuffs with extended plackets. Carhartt FR and CAT 3 labels are sewn on the left pocket. **Protection - CAT 3, NFPA 70E and NFPA 2112 compliant.**

SKU	Description	Sizes	UOM
CTS432201	Shirt Jac Flame Resistant Canvas Dark Brown - CAT 2	S-4X*	EA

C



D



## D. Duck Bomber Jacket/Quilt-Lined - CAT 4

Carhartt's flame-resistant duck bomber quilt-lined jacket will keep you warm in cooler weather. Made of 13-ounce, 100% cotton flame-resistant duck with a 10.5-ounce flame-resistant quilt lining, it has two inside patch pockets with flame resistant hook-and-loop closure for convenient storage and Nomex® rib-knit cuffs and waistband. It also features a brass front zipper with Nomex® zipper tape that has inside and outside protective flaps and hidden snap closure for electric arc protection. An optional flame-resistant hood (FRA265) can be attached with snaps under the collar.

**Protection - CAT 3, NFPA 70E and NFPA 2112 compliant.**

SKU	Description	Sizes	UOM
CTJ195BR	Duck bomber jacket quilt-lined brown - CAT 4	S-4X*	EA
CTFRA265BRN	Duck Hood Quilt Lined With Snaps, Brown		EA

\*Please contact customer service for additional sizes.



A



## A. Men's FR Duck Traditional Coat/Quilt-Lined - CAT 4

Protect yourself from flash fire or electric arcs on the job. Carhartt's flame-resistant duck traditional coat is quilt-lined and made of 13-ounce flame-resistant, 100% cotton duck. It features two inside patch pockets with flame-resistant hook-and-loop closures, Nomex® inside-waist draw cord for an adjustable fit, rib-knit storm cuffs to seal out cold air, a two-way brass zipper and snaps under the collar for an optional hood (FRA265). It is NFPA 70E compliant.

**Protection - CAT 3, NFPA 70E and NFPA 2112 compliant.**

SKU	Description	Sizes	UOM
CTC066BRN	Flame Resistant Duck Coat Quilt Lined Brown - CAT 4	S-4X*	EA
CTFRA265BRN	Duck Hood Quilt Lined With Snaps, Brown		EA
CTC066DNY	Flame Resistant Duck Coat Quilt Lined Dark Navy - CAT 4	S-4X*	EA
CTFRA265NVY	Duck Hood Quilt Lined With Snaps, Navy Blue		EA

## B. EXCEL FR® ComforTouch® Navy Bomber Jacket - CAT 3

Lined Bomber Jacket - EXCEL FR® ComforTouch® features separating, heavy-duty, Nomex® taped brass zipper, fully covered with two-layer storm flap, concealed snap closure, two-layer stand-up collar, concealed snap closure on cuff, two large external patch pockets with concealed snap closure, with hand warmer, one inside chest pocket, deep-pleated action back, fully-tunneled elasticized waistband, inside zipper guards on all zippers, accommodates snap-on hood BWKHLH2NV, sold separately and accommodates liners BWKLN2NV, sold separately.

Fabric - Outershell: EXCEL FR® ComforTouch® Flame-resistant 7 oz. Twill, 88% Cotton / 12% Nylon, Water-repellant. Liner: Flame-resistant 7 oz. 100% Cotton.

Care - Home Wash and Industrial Wash

**Protection - CAT 3, NFPA 70E and NFPA 2112 compliant.**

SKU	Description	Sizes	UOM
BWKJLJ8NV	EXCEL FR ComforTouch Navy Bomber Jacket, CAT 3	S-4X*	EA
BWKHLH2NV	Hood, Fit Snap On, Insulated, Navy Blue		EA
BWKLN2NV	Jacket Liner, FR, Navy Blue		EA



B



C

## C. Insulated Parka - CAT 4

The Parka - Nomex® IIIA features two-way, separating, extra heavy-duty nomex®, taped brass zipper, fully covered with insulated storm flap, hook-and-loop secured, fully insulated stand-up collar, knit storm cuff within hemmed sleeve end with hook-and-loop suppression tabs, three large external patch pockets with hook-and-loop secured flaps (lower pockets with hand warmers), one inside chest pocket, sleeve pocket, deep-pleated action back, elastic inserts at waist across back, inside zipper guards on all zippers, internal snow belt and accommodates snap-on hood BWKHNH2NV, sold separately.

Fabric - Outershell: Flame-resistant, 6 oz. Water Repellant Nomex® IIIA (93% Nomex® Aramid / 5% Kevlar® Aramid / 2% Other Fiber). Insulation: Flame-resistant 14.2 oz. Quilted Nomex® with Wind and Moisture Barrier.

Care - Home Wash and Light Soil Wash

**Protection - CAT 4, NFPA 70E and NFPA 2112 compliant.**

SKU	Description	Sizes	UOM
BWKJNP2NV	Parka, Insulated, Navy Blue, CAT 4	S-4X*	EA

## D. 100% Cotton 9oz FR Jacket - CAT 2

This 100% cotton Flame Resistant jacket containing flame resistant properties are guaranteed for the life of the garment if proper laundering instructions are followed. This banded waist-style "ike" jacket features two slant front pockets, zipper front closure and zipper for zip-in double-faced modaquilt liner. Permanent label lists washing instructions and size. Made in USA. Available in royal blue, tan and navy blue. Specify size S - 5XL. **CAT 2, NFPA 70E and NFPA 2112 compliant.**

SKU	Description	Sizes	UOM
INDJKTKH	Jacket FR 100% Cotton 9 oz w/Zip-In Liner Tan	S-5X*	EA
INDJKTNVY	Jacket FR 100% Cotton 9 oz w/Zip-In Liner Navy Blue	S-5X*	EA



D



## A. Insulated FR Coverall - CAT 2

Insulated coverall is made out of 9 oz flame-resistant, 100% cotton fabric. Sewn throughout with Nomex® thread. All stress points are bar-tacked for reinforcement. Lay-down collar, six pockets, pencil slot on left chest pocket and red FR tag on chest pocket. Snaps on pass-through pockets, double-layer rear pockets, and two-ply rear pocket bottom. Heavy duty (two-way) Nomex, brass zipper, and zipper flap with snap. Sewn bi-swing back, elastic waist-in back, reinforced waistband in front, and finished dress cuff with adjustable snap closure. Insulated for added warmth. Permanent label lists washing instructions, size, fiber content and RN#. Made in USA. Available in navy blue, royal blue and tan. **Complies with NFPA 70E (CAT 2) and NFPA 2112 standards.**

SKU	Description	Sizes	UOM
INDIJS16	Insulated FR Coverall Tan - CAT 2	S-6X*	EA
INDIJSNB	Insulated FR Coverall Navy Blue - CAT 2	S-6X*	EA

A



B

## B. Flame-Resistant Duck Bib Overall - CAT 4

Add warmth to your workwear with our flame-resistant duck bib overalls. Made of 13-ounce, flame-resistant 100% cotton duck, it features a quilt lining, a high back with flame-resistant elastic suspenders and high temperature nylon center-release buckles. They also have a chap-style double front for durability, flame-resistant melamine button at waist, multiple tool and utility pockets, ankle-to-mid-thigh brass leg zippers with Nomex® zipper tape and protective flaps and arc-resistant snap closures. **CAT 4, NFPA 70E and NFPA 2112 compliant.**

SKU	Description	Waist	Inseam	UOM
CTFR44B	Flame-Resistant Duck Bib Overall Brown - CAT 4	30-54	30,32,34 & 36*	EA



## C. Force FR Long Sleeve Cotton T-Shirt

This T-shirt provides increased protection against electric arc flash and flash fire exposures. Made from 6.75-ounce, 100% cotton knit, it features FastDry™ technology that wicks sweat for comfort, and also fights odors. It has rib-knit collar and cuffs, and side-seamed construction that minimizes twisting. **Meets the performance requirements of NFPA 70E and is UL® Classified to NFPA 2112.**

SKU	Description	Sizes	UOM
CTS153410	Force FR Long Sleeve Cotton T-Shirt Navy	S-4X*	EA

C



D

## D. Zipper Front Sweatshirt - CAT 2

This FR Sweatshirt Features a hood with drawstring closure, zipper front, elastic hemmed sleeve with, elastic waist and two patch pockets .

Care - Home Wash

Fabric - EXCEL FR® Flame-resistant, 13 oz. (440 g/m²) 100% Cotton Brushed Fleece (Navy), 13 oz. (440 g/m²) 94% Cotton / 6% Polyester Brushed Fleece (Grey)

**Protection - CAT 3, NFPA 70E and NFPA 2112 compliant.**

SKU	Description	Sizes	UOM
BWKSEH6NV	Sweatshirt, Zipper front, Navy Blue, CAT 2	S-5X*	EA
BWKSEH6GY	Sweatshirt, Zipper front, Gray, CAT 2	S-5X*	EA

\*Please contact customer service for additional sizes.



A

### A. Three-In-One Class 3 Hi-Viz Bomber Jacket

Radians SJ210B Three-in-One Deluxe Bomber Jacket with black bottom has a zip out fleece jacket, concealed attached hood, elasticized waistband and several inner and outer pockets. Safety jacket has 2" silver reflective tape for high visibility.

SKU	Description	Color	Sizes	UOM
MSCSJ21G	Bomber Jacket Deluxe Hi-Viz Bomber Jacket	Lime	M-4X	EA
MSCSJ21O	Bomber Jacket Deluxe Hi-Viz Bomber Jacket	Orange	M-4X	EA

### B. Weather Proof Class3 Hi-Viz Bomber Jacket

Radians SJ11Q Class 3 weather proof Bomber Jacket with a quilted liner makes it very easy to slip on and off over other fleece or other warm outwear.

SKU	Description	Color	Sizes	UOM
MSCSJ11G	Weather Proof Class3 Hi-Viz Bomber Jacket	Lime	M-5X	EA
MSCSJ11O	Weather Proof Class3 Hi-Viz Bomber Jacket	Orange	M-5X	EA



B



C

### C. Three-in-One Weatherproof Class 3 Parka

The Radians SJ41 Class 3 Three-In-One Weather Proof Parka is wind and water resistant and comes with a removable inner fleece jacket with lined sleeves for added warmth and protection. High visibility safety jacket has zippered pockets and pass through on back for fall protection.

SKU	Description	Color	Size	UOM
MSCSJ41G	Three-in-One Weatherproof Class 3 Parka	Lime	M-3X	EA

### D. Long Sleeve Class 3 Hooded Sweatshirt

Radians SJ01-3 Class 3 Long Sleeve Hooded Sweatshirt offers superior warmth while keeping you visible. Hood is lined with double, birds-eye mesh to maximize airflow and quickly dry moisture. This sweatshirt also features a black elastic knit waistband and cuffs, 2" silver reflective tape, full front zipper closure, two lower pouch pockets and mesh lined hood with adjustable pull cords. 3rd Party Certified – Meets ANSI/ISEA 107-2010 Standards.

SKU	Description	Color	Sizes	UOM
MSCSJ013ZGS	Sweatshirt With Hood, Class 3, Hi-Vis	Green	M-5X	EA
MSCSJ013ZOS	Sweatshirt With Hood, Class 3, Hi-Vis	Orange	M-5X	EA



D



E

### E. Hi-Viz Cap

This cap is made of 100% acrylic and features a silver reflective stripe.

SKU	Description	Color	UOM
OCCWLUXKCRHY	Hi-Viz knit cap yellow	Lime	EA

\*Please contact customer service for additional sizes.



# Cold Stress Preventive Measures

Plan for work in cold weather. Wearing appropriate clothing and being aware of how your body is reacting to the cold are important to preventing cold stress. Avoiding alcohol, certain medications and smoking can also help to minimize the risk.


**Protective Clothing** is the most important way to avoid cold stress. The type of fabric also makes a difference. Cotton loses its insulation value when it becomes wet. Wool, silk and most synthetics, on the other hand, retain their insulation even when wet. The following are recommendations for working in cold environments:

- Wear at least three layers of clothing. An inner layer of wool, silk or synthetic to wick moisture away from the body. A middle layer of wool or synthetic to provide insulation even when wet. An outer wind and rain protection layer that allows some ventilation to prevent overheating.
- Wear a hat or hood. Up to 40% of body heat can be lost when the head is left exposed.
- Wear insulated boots or other footwear.
- Keep a change of dry clothing available in case work clothes become wet.
- With the exception of the wicking layer do not wear tight clothing. Loose clothing allows better ventilation of heat away from the body.
- Do not underestimate the wetting effects of perspiration. Oftentimes wicking and venting of the body's sweat and heat are more important than protecting from rain or snow.

**Work Practices and planning are important preventative measures.** Drink plenty of liquids, avoiding caffeine and alcohol. It is easy to become dehydrated in cold weather. If possible, heavy work should be scheduled during the warmer parts of the day. Take breaks out of the cold. Try to work in pairs to keep an eye on each other and watch for signs of cold stress. Avoid fatigue since energy is needed to keep muscles warm. Take frequent breaks and consume warm, high calorie food such as pasta to maintain energy reserves.

**Engineering controls can be effective in reducing the risk of cold stress.** Radiant heaters may be used to warm workers. Shielding work areas from drafts or wind will reduce wind chill. Use insulating material on equipment handles, especially metal handles, when temperatures drop below 30° F.

**Training** in recognition and treatment is important. Supervisors, workers and coworkers should watch for signs of cold stress and allow workers to interrupt their work if they are extremely uncomfortable. Supervisors should also ensure that work schedules allow appropriate rest periods and ensure liquids are available. They should use appropriate engineering controls, personal protective equipment and work practices to reduce the risk of cold stress. All of these measures should be incorporated into the relevant health and safety plans.



Source: OSHA; [www.osha.gov](http://www.osha.gov)





A

## A. HexArmor® Rig Lizard Arctic® 2023

The Rig Lizard Arctic® 2023, with ANSI Cut Level 3 protection, which provides the greatest comfort and range of motion you will get from a thermal rig and mining glove. These features supplement the industry's most advanced impact-resistant exoskeleton, and a synthetic grip, creating the new standard for a cold-weather oil and gas protective glove.

SKU	Description	Size	UOM
HEX2023	Rig Lizard Arctic® Glove	S-2X	PR

## B. HexArmor® Rig Lizard Arctic® TP-X+® Palm 2026

The Rig Lizard Arctic® 2026 uses a C100 Thinsulate™ liner to provide maximum warmth, while our H2X® liner creates a waterproof barrier for your hands. And to make this the most well-rounded winter work glove available, we added a durable and abrasion resistant TP-X+® palm for maintaining grip in both wet and dry situations.

SKU	Description	Size	UOM
HEX2026	Rig Lizard Arctic® TP-X+® Palm	S-3X	PR

B



C

## C. HexArmor® GGT5® Arctic Gator® 4031

The 4031 GGT5® Arctic Gator®, the most complete cold weather glove for the oil and gas industry with the highest cut, puncture and impact protection on the market. The 4031 uses a dynamic combination of H2X® and C40 Thinsulate™ interior liners to provide a waterproof barrier and cold-resistance.

SKU	Description	Size	UOM
HEX4031	GGT5® Arctic Gator® Glove	S-2X	PR

## D. ProFlex® Thermal Waterproof Dorsal Gloves Cut & Puncture Resistant

Thermal Waterproof Cut, Puncture and Dorsal Impact-Reducing Gloves: Enhanced cut and puncture protection without compromising dexterity and comfort; thermal and waterproof for cold weather applications.

SKU	Description	Size	UOM
ERG925CPWP	ProFlex® Glove Waterproof Dir Cut & Puncture Resistant	XS-3X	PR

D



E

## E. ProFlex® Thermal Waterproof Dorsal Gloves

Thermal Waterproof Dorsal Impact-Reducing Gloves: Maximum back-of-hand impact protection meets superior abrasion resistance, dexterity and grip; thermal and waterproof for cold weather applications.

SKU	Description	Size	UOM
ERG925WP	ProFlex® Thermal Waterproof Dorsal Gloves	S-2X	PR



### A. Ogre CR+ Ice™

Two-ply cut/thermal resistant shell, 13-gauge, hi-vis hppe/glass fiber shell, brushed acrylic lining, red sandy nitrile coating, Aramid reinforced thumb crotch, TPR fingers & back of hand, TPR Hammer Guard, CE/EN 388: 4532, CE Cut Level 5, ANSI/ISEA 105-2016 Cut Level A5: 2379 grams.

SKU	Description	Size	UOM
MSGP7738	Ogre CR+ Ice™ With Two-Ply Cut/Thermal Resistant Shell	M-2X	PR



### B. Cold Snap Max™

Cold Snap Max™, two-ply thermal shell, 13-gauge red nylon outer shell, brushed acrylic inner lining, 3/4 foam PVC coating, CE/EN 388: 3232, CE/EN 407: contact cold level 2.

SKU	Description	Size	UOM
MSG3905	Cold Snap Max™ With Two-Ply Thermal Shell	M-2X	DZ

### C. Cold Snap

Cold Snap, premium, green, brushed, loop-in, 7-gauge, acrylic terry shell with black foam latex coating

SKU	Description	Size	UOM
MSG3999	Cold Snap, green acrylic shell, black latex palm	S-XL	DZ



### D. Thinsulate® Lined, Hi Vis Grain Pigskin Driver's Gloves

Made with a premium grain pig leather palm and Thinsulate lined. Features a hi vis orange back, 1-1/2" lime green reflective tape and a knit wrist.

SKU	Description	Size	UOM
MSGF8750	Hi Vis Grain Pigskin Leather Palm, Thinsulate lined	L	DZ
MSGF8760	Hi Vis Grain Pigskin Leather Palm, Thinsulate lined, Knit Wrist	L-XL	DZ

### E. Premium Grain Cowhide Driver Fleece Lined

This driver's glove keeps your hands warm while allowing outstanding dexterity. Features include white fleece lining, shirred elastic back and keystone thumb.

SKU	Description	Size	UOM
MSG8240	Driver's Glove Foam & Red Fleece	S-2X	DZ
MSG8245	Driver's Glove White Fleece	S-2X	DZ





A

## A. Chill-Its® 6990 Warming Packs

Just break the pack to activate the heating action. Insert in winter liner ear pockets for up to 10 hours of warmth. Sold in pairs.

SKU	Description	UOM
ERGW6990	Winter warming packs	PR

## B. N-FERNO® Cold Series Winter Liner

2-Layer Cold Series Winter Liner: Made of 100% cotton twill shell and a lining of 100% poly fleece. Elastic gap control at forehead and hook and loop chinstrap keeps warmth in and cold out. Also equipped with warming pack pockets near ears for extra warmth.

SKU	Description	UOM
ERGW6850	Winter liner, 2-Layer - regular	EA
ERGW6852	Winter liner, 2-Layer - shoulder	EA

B



ERGW6850



ERGW6852

C



ERGW6877



ERGW6873

## C. N-FERNO® Extreme Series Winter Liner

3-Layer Extreme Series Winter Liner: Made of Banox FR3® Cotton shell, with foam mid-layer and fleece lining. Includes warming pack pockets and hard hat suspension attachments

SKU	Description	UOM
ERGW6873	Winter Liner 3-Layer FR - Regular Length	EA
ERGW6877	Winter Liner 3-Layer FR - Shoulder Length	EA

## D. N-FERNO™ 2-Layer FR Winter Liner w/Banox Shell

The 6860 & 6862 2-Layer Cold Series Winter Liner is constructed of a 2-layer Banox FR3-cotton/fleece. The Banox FR3® Fabric shell lasts up to 50 washings and the lining is 100% poly fleece. Elastic gather at forehead and warming pack pockets.

SKU	Description	UOM
ERGW6860	Winter liner, 2-Layer, Proban - regular	EA
ERGW6862	Winter liner, 2-Layer, Proban - shoulder	EA

D



ERG6862



ERG6860

E



## E. Premium FR Shoulder-Length Winter Liner

This FR winterliner's upper cap is made of a cotton FR Treated / Modacrylic Lining: ATPV = 21 cal/cm² (CAT=2). The lower part of the winterliner is made of a Modacrylic Soft Rib Knit 18.0 oz.: ATPV = 28.6 cal/cm² (CAT=3). Other features include Nomex® zipper, Nomex® thread, and is flame resistant for up to 50 washings. Meets ASTM F1506.

SKU	Description	UOM
OCCWLZ620-FR	Premium Flame Resistant Winter Liner, Shoulder-Length	EA



### A. N-FERNO® FR Stretch Tube Winter Liner

Cool series stretch tube winter liner is FR treated for safety. Made of 100% polyester knit.

SKU	Description	UOM
ERGW6810	Stretch Tube Winter Liner	EA

A



B



### B. N-Ferno® FR Stretch Cap - Full Face

Full-face style stretch tube winter liner is FR treated for safety. Made of 100% polyester knit.

SKU	Description	UOM
ERGW6815	Full-face winter line	EA

C



### C. N-FERNO™ FR Cool Series Balaclava

Long length for extra protection from the cold and FR treated for safety. Made of comfortable polyester fleece.

SKU	Description	UOM
ERGW6821	Balaclava winter liner	EA

D



### D. N-Ferno® FR Nomex Balaclava

The N-Ferno® 6825 Stretchable Nomex fleece keeps head and neck comfortable while providing FR protection with an ATPV value of 9.7 (CAT 2).

SKU	Description	UOM
ERGW6825	Balaclava, FR Nomex, fleece	EA

E



### E. Servus® Overboot

Boot socks fit most non-insulated knee boots. Provides a deep pile lining for added comfort and warmth in colder weather.

SKU	Description	Sizes	UOM
SRV11924	Overboot Black PVC	XS-XL	PR

F



### F. Boot Sock

Boot socks fit most non-insulated knee boots. Provides a deep pile lining for added comfort and warmth in colder weather.

SKU	Description	Sizes	UOM
SRV28000	Boot Sock	5-12	PR

## A. Trex™ Ice Traction Devices

Rugged, heat-treated carbon steel stud with adjustable cord cinches (ERG6310). Stretchable rubber for fit and easy on/off. Flexible to -40°F (-40°C)

SKU	Description	UOM
ERG6310	Trex™ 6310 Adjustable Ice Traction Device	EA



## B. Trex™ Strap-On Heel Ice Traction Devices

Features a Durable stainless steel aggressive chain spike system offers tenacious grip and stability on ice and snow. Innovative heel spike plate design provides enhanced traction on uneven surfaces. Hi-Vis Orange stretchable rubber ring ensures a secure fit and maintains flexibility to -40°F.

SKU	Description	Sizes	UOM
ERG6320	Trex™ 6320 Aggressive Spike Traction Device	S-XL	PR

## C. Tiger Grip Master-Grip

This overshoe will allow you to walk as well on snow and ice as well as on muddy surfaces. Master-grip overshoes have 4 interchangeable studs that you can adapt to your needs.

SKU	Description	Sizes	UOM
TGRMASS	Master-Grip Ice and All-Surface Overshoe	SM 5.5	PR
TGRMASM	Master-Grip Ice and All-Surface Overshoe	MD 6-9.5	PR
TGRMASXL	Master-Grip Ice and All-Surface Overshoe	XL 10-13	PR



## D. 3M™ Thinsulate™ Thermal Insole

Multi-layer performance materials provide foot-forming comfort, moisture wicking for dryness, antimicrobial technology to reduce odors and 3M™ Thinsulate™ Insulation for exceptional warmth.

SKU	Description	Women's Sizes	Men's Sizes	UOM
3MTHMW	Thinsulate™ thermal insole 3/CS	5-12	7-14	CS

## E. Crossfire® ES4

Designed for all environments, the ES4 features an adjustable nosepiece, ultralight frame, and 100% visually correct lenses. Meets ANSI Z87+ standards.

SKU	Description	Lens	UOM
CF2123	ES4 shiny black frame	Silver Mirror	PR
CF2141	ES4 crystal black frame	Smoke	PR
CF21427	ES4 crystal black frame	Silver Mirror Polarized	PR



CF2141

Available In  
Polarized Lens



CF23226

Available In  
Polarized Lens

## F. Crossfire® RPG

The newly redesigned full frame RPG makes the list again as one of our best selling styles. Fitting a wide range of users, it is offered in various lens selections for application in diverse environments. Meets ANSI Z87+ standards.

SKU	Description	Lens	UOM
CF23117	RPG crystal brown frame	HD Brown Flash Mirror	PR
CF23226	RPG matt black frame	HD Blue Mirror Polarized	PR
CF23615	RPG shiny pearl gray frame	Indoor/Outdoor	PR



# Uvex Livewire™ Sealed Eyewear

## ENGINEERED FOR THE EXTREME.

**Extreme protection for extreme workers and working conditions.**

Designed from the ground up based on in-the-field research, Uvex Livewire sealed eyewear delivers the fit, performance and protection you won't find anywhere else. With its precision-designed fit, best-in-class anti-fog lens coating and comfort-engineered materials built into the frame, Uvex Livewire sealed eyewear is worthy of the most demanding environments...and worthy of the hardest working individuals.



Subframe



Temple and ratchet



Side vents



Temple tips



SKU	Description
S2600HS	Livewire Sealed Eyewear Clear Lens with HydroShield AF Coating
S2600XP	Livewire Sealed Eyewear Clear Lens
S2601HS	Livewire Sealed Eyewear Espresso Lens with HydroShield AF Coating
S2601XP	Livewire Sealed Eyewear Espresso Lens
S2602XP	Livewire Sealed Eyewear Amber Lens
S2604XP	Livewire Sealed Eyewear Reflect 50 Lens



A

### A. Portable Radiant Heater Fan Forced

This portable heater features 3 settings: 1500 / 900 / 600 watts, fan forced temperature control thermostat, dual safety system: tip over switch manual reset type limit control and 6' long - 3 conductor cord. Width: 11", Height: 15", Depth: 12", 5120 max BTU's, 120 volts, 1 phase and 9 lbs.

SKU	Description	UOM
TPI198TMC	Portable Radiant Heater Fan Forced	EA

### B. GENERAC® Generator 5500 Watt

The GP 5500 is the perfect solution for tailgating, camping, power tool use—even emergency backup power. CSA and CARB Certified.

SKU	Description	UOM
DNXGP5500	GENERAC® Generator 5500 Watt	EA



B



C

### C. GENERAC® Generator 6500 Watt

An affordable solution for many different applications, the GP6500 (pull start) and GP6500E (electric start) are ideal for tailgating, camping, power tool use, and emergency home backup power. CSA and CARB Certified.

SKU	Description	UOM
DNXGP6500	GENERAC® Generator 6500 Watt Pull Start	EA
DNXGP6500E	GENERAC® Generator 6500 Watt Electric Start	EA

### D. Classic Plus Series 60" FR Coat With Silver Reflective Stripes

The FR467CR black 60" long, 0.35mm PVC/polyester coat with welded seams features a black plastic snap storm fly front, black plastic take up snaps at the wrists, detachable hood, 2" reflective stripe above hem of coat and 2" reflective stripes around torso and arm sleeves. Limited flammability ASTM D6413 Standard.

SKU	Colors	Sizes	UOM
MSRFR267CR	Classic Plus Series 60" FR Coat With Silver Reflective Stripes	M-5X	EA



D



E

### E. Wizard FR Rainwear With Detachable Hood

These rain suits are versatile and can be used in many applications. The rain suits are constructed of a double coated PVC over 210 denier nylon. The clothing also has a special material that helps to prevent rips, snags and tears. Flame-resistant coating providing added protection to the wearer.

SKU	Description	Sizes	UOM
MSR3003	Wizard FR Rainwear With Detachable Hood, Yellow	S-5X	EA



## A. Non-Pseudo Cold Relief

Multi-symptom formula relieves congestion, pain, coughs and fever. Contains 325 mg acetaminophen, 200 mg guaifenesin, 5 mg phenylephrine HCl and 15 mg dextromethorphan HBR.

SKU	Description	UOM
MF822-13	Non-Pseudo Cold Relief 2 x 250	BX



## B. Non-Pseudo Sinus Pain & Pressure

Relieves sinus pressure associated with allergies, headaches and colds. Active ingredients: acetaminophen 500mg and phenylephrine HCL 5mg.

SKU	Description	UOM
MF819-13	Non-pseudo Sinus Pain/Pressure 2 x 250	BX



## C. Medi-Phenyl

A sinus decongestant without the pseudoephedrine. Active ingredient: phenylephrine HCL 5mg.

SKU	Description	UOM
4768-2205-13	Medi-Phenyl tablets 2 x 250	BX



## D. Cough Drops

These individually wrapped, cherry cough drops soothe the throat while relieving coughing. Active ingredients: menthol 7.6mg.

SKU	Description	UOM
MF815-25	Cough Drops - cherry, individually packaged 125/BX	BX

## E. Cepastat® Lozenges

Cepastat® Sore Throat Lozenges provide fast-acting relief for severe sore throats. They are sugar-free lozenges with "phenol" as the active ingredient.

SKU	Description	UOM
0068-0219-18	Cepastat® cherry flavor lozenge 18/BX	BX





## Corporate Office - LaPorte, TX

4200 Underwood LaPorte, TX 77571  
(P.O. Box 1025 Deer Park, TX 77536)  
Customer Support: 1-800-330-9240  
Fax: 1-281-476-5394  
Order Inquiries: sales@gosafe.com

## Marshall Office - Marshall, TX

4101 W. Pinecrest Dr. (P.O. Box 1929)  
Marshall, TX 75670 (75671)  
Customer Support: 1-800-442-8839  
Fax: 1-903-935-2117  
Order Inquiries: sales@gosafe.com

### Oklahoma Office

4432 S. 70th East Ave.  
Tulsa, OK 74145  
Customer Support: 1-888-622-8758  
Fax: 1-918-622-8341  
Order Inquiries: sales@gosafe.com

### Arkansas Office

6500 Young Rd. Suite C  
Little Rock, AR 72209  
Customer Support: 1-800-394-9026  
Fax: 1-501-227-6455  
Order Inquiries: sales@gosafe.com

### Louisiana Office

39359 Airline Plaza  
Gonzales, LA 70737  
Customer Support: 1-877-854-2178  
Fax: 1-225-647-4520  
Order Inquiries: sales@gosafe.com

### Service Center

4200 Underwood (P.O. Box 1025)  
La Porte, TX 77571  
Customer Support: 1-800-330-9240  
Fax: 1-281-476-5394  
Rental/Service Inquires: service@gosafe.com



Please stop by our facility at 4200 Underwood in LaPorte.  
You can try on any of the items pictured in this catalog, and browse  
through our complete selection of safety equipment and supplies.



## SAFETY BEGINS WITH US...

Order Online at [www.gosafe.com](http://www.gosafe.com) • Call Us at 800.330.9240

